REPORT 164 MA

PROCESS FOR AN ALGOL TRANSLATOR

PART ONE:

THE TRANSLATOR

REPORT 164 MA

PROCESS FOR AN ALGOL TRANSLATOR

PART ONE:

THE TRANSLATOR

BY: G. VAN DER MEY
WITH THE CO-OPERATION OF: W.L. VAN DER POEL
P.A. WITMANS
G.G.M. MULDERS

JULY 1962

ALGOL Translator

begin

<u>comment</u>

Restrictions in action:

1 In any block head within a text to be translated, the
  declarations of simple varables and arrays are supposed
  to precede those of procedures and switches.

2 The bounds of <u>own</u> arrays are supposed to be integral
  constants.

3 The controlled variable of a for statement may not be
  a subscripted variable.

Notations:

1 Above each labeled line, all references to the label are
  gathered, represented by "approximate" labels.

2 Within the programme, many constants are written in a
  semi-binary notation, in which powers of 2 occur as
  factors and terms.
  Crosses x on the right-hand side of the pages mark the
  lines, in which such non-variable expressions appear
  which, of course, should better be replaced in the text
  by their values.

3 Other constants, listed in table 1E, are conveniently
  referred to by names which, in praxis, are to be replaced
  in the text by the appropriate values. Crosses + on the
  right-hand side of the pages mark the lines concerred.

Composition:

      The translator, a block, contains procedure wrong, the
procedures of the SO-series,
the switches sw and SW, and the compounds S1, S2, S2a, S3, S3a, S3b,
S3c,S4,S4a,S5,S5a,S5b,S6,S6a,S7,S7a,S8,S8a,S8b,S8d,S9,S9a,
input and input1.

input, depending on the kind of string taken from the tape, goes to either S4L1 (for an identifier), or to S4aL1 (for an unsigned number), or to one of the labels mentioned in tables 1A and 1B. It assigns the value of the string to variable f of table 4A, which is, however, not necessary when the string is a delimiter

: : = ([begin for go to if lsq .

When f is a number, input assigns the value

$\overline{0\ 000000t01}$ 0...0 to variable g. The bit t indicates the representation of the number f.

input1   (cf. S5b).

Non-ALGOL features:

1   The translator considers boolean type to be the same as integer type. Thus variables declared boolean may assume integral values. Internally, true and false are represented by 0 and -1 respectively. Then the significance of operator or can be extended as follows:

2   When applied to integers p and q, p or q denotes the logical product of p and q which, of course, might also be obtained by a procedure logical product (par1, par2).

3   The ZEBRA, for which this translator has been developed, is a binary machine with 8192 locations in its store, each of which containing 33 bits b_0, b_1 ... b_{32}. b_0 is the sign digit: $b_0 = 0 \rightarrow$ pos., $1 \rightarrow$ neg. Then $x < 0$ is a short notation for logical product $(x, 2^{32}) \neq 0$;

comment

own integer array st [P0: Q0]; In this space, object programmes are built up, and it +
also contains the lists I and L needed in translation
time (cf. variables P, T, S of table 4A);

integer a, b, c, d, e, f, g,   cf. table 4A;
D, mark, P, q, R, S, S accent,
S0, T, T1, T2, u, v;

procedure wrong;   This hardware programme stops and prints address, from
which it has been invoked. That address corresponds to
the occurred kind of misery listed in table 5 as a
function of a variable assuming labels as values;

comment

```
procedure SO(F);            stores word in object programme on address P;
begin
st[P] : = F; P : = P + 1;
if P>SO-2     then SOg;     for shifting list L away from object programme
end SO;
```

```
                              comment
procedure SOa;                extracts from list L and conjugates;
begin
c : = st[S - 3];
d : = st[S - 2];
e : = st[S - 1];
a : = 480 or d; b : = 480 or f; 480 is = 511 - 31, thus b is = 32 × rank of
                              delimiter f (cf. tables 1 A and B)
end SOa;
```

```
                                    comment
procedure SOc(F);              stores word in list L on address S;
begin    ·
st[S] : = F; S : = S + 2 ;
if S + 1 > T then SOg;         for shifting list L away from I
end SOc;
```

comment

procedure SOd;   equips object programme with storing and extracting a
                                  partial result;

begin
st[Saccent - 1] : =
2↑23 × 3 + 2↑26 × 63;   ×
SO(partres)   +
end SOd;

	comment
procedure SOe(F)	stores declaration in list I;
begin	
st[T - 1]: = e;	is internal equivalent of identifier F;
st[T]: = F; T.: = T - 2;	
if S + 1 > T then SOg;	for shifting list L away from I (cf.SOc)
end SOe;	

```
                                        comment
        procedure SOf;                  looks up identifier f in list I. on addresses
                                        T1 + 2, T1 + 4, ... T2.
                                        If f is found, then  c : = lowest address where f
                                        occurs, and d : = corresponding internal equivalent,
                                        which is positive.
                                        Otherwise d : = -1.
                                        If f is found to be a simple variable or formal
                                        parameter, then e : = d.
                                        Otherwise e : = 2^32 + f, which is the contra-
                                        identifier of f, being negative.
                                        If f is found to be an array identifier, then
                                        g : = the ar1 instruction which is the internal
                                        equivalent of the factor identifier, being neg.(cf.S6L8) and
                                        u : = d, which is used on S6L 17
        begin                           Otherwise g : = 0;
        g : = 0; c : = T1;
SOfL1:  if T2 = c then go to            Then identifier has not been found;
        SOfL3;
        c : = c + 2;
        if st[c] ≠ f then go to         for extracting the next identifier;
        SOfL1;
        d : = e : = st[c - 1];          which is the internal equivalent of identifier f;
        if 2 × d > 0 then
        begin
        if 4 × d > 0 then go to         for label, switch- and procedure identifier;
        SOfL4;
        e : = c - 1;                    f is array identifier;
```

comment

```
SOfL2 : e : = e - 2; g : = st[e];
        if g > 0 then go to SOfL2;    Then ar1 instruction is not yet found;
        u : = d; go to SOfL4;
SOfL3 : d : = -1;
SOfL4 : e : = f + 2↑32                                                    ×
        end                          This compound statement is omitted in the case of a
                                     formal parameter or simple variable

        end SOf;
```

```
          procedure SOg;              comment
          begin                       shifts list L to the mid of the range P ... T;

          a : = (P + T - S - SO) ÷ 2;  The distance from the mid of SO...S to that of
                                       P...T is = a + l with either l = 0, or ½, or -½;

          Saccent : = Saccent + a;
          S : = S + a;
          SO : = SO + a;
          if P + 2 > SO then
SOgL1:    wrong;                       Then translator is short of working space.
                                       Otherwise P + 2 is ≦ SO
                                       and, because of abs(l) ≦ ½, also S + 1 ≦ T
                                       as required in procedures SO, SOc, SOe, and SOm;

          if a > 0 then
          for b : = S step -1 until SO
          do st[b]: = st[b - a]
          else
          for b : = SO step 1 until S
          do st[b] : = st[b - a]
          end SOg;
```

comment

<u>procedure</u> SOh;

is invoked after reading the first array identifier
of a list being not <u>own</u> (cf.S4L17), and also, when
translation of a statement is beginning (cf. S2, S3,
S5, S6, S7, S8, S9, S3cL2 and S3bL1). Bridging pass
instructions are inserted in the dynamic introduction
of a block on addresses previously reserved by
procedure SO1, and the introduction is also completed
by putting the instruction retain to its end.
The procedure assigns the same values to variables c,
d and e as does procedure SOa;

<u>begin</u>
a : = st[S - 7];
c : = st[S - 3]; d : = st[S - 2];
e : = st[S - 1];
<u>if</u> d = 322 <u>and</u> c $\neq$ 0 <u>and</u> a $\geq$ 0
<u>then</u>
<u>begin</u>

This only happens, when translation of a block head is
still running;

<u>if</u> a > 0 <u>then</u> st[a] : =
P + 2↑23 + 2↑26 × 121;

Then pass instruction (cf. table 1D) is inserted on   x
address a;

<u>if</u> D < 0 then a : = D <u>else</u> a := 0 ;
st[S - 7] : = a;
<u>if</u> a < 0 <u>then</u>
<u>begin</u>

Dynamic introduction of block is completed.
q is smallest address reserved for simple variable
which is local to block;

q : = q - 1 ;

```
SO(retain);
end
end SOh
```

comment

Thus, when $st[S - 2] = 322$ which is the value of
begin and $st[S - 3] \neq 0$, (cf. S3 and S3a), then
$st[S - 7]$ can be the address where to insert a
pass instr. in dynamic introduction of block at
next call of procedure SOh (cf. SOi), or 0 when no
pass instr. is to be inserted, or negative, when
introduction is ready;

+

```
procedure SOi;




if st[S - 7] = O then
begin
st[S - 7] : = P;
SO(O) ;
end
end SOi;
```

comment

is invoked on S4L10, S4L14, S4L24, S4L37.
Unless there has already been reserved an address, it
reserves address P of the object programme for a pass
instruction, which is to be inserted later by
procedure SOh;

A preliminary zero is inserted;

comment

procedure SOk;

<table>
<tr><td>equips object programme with filling the accumulator, which is required whenever a computation is beginning in the object programme. For const. 98 cf. table 1C;</td></tr>
</table>

if g = 0 then
begin

e, if > 0, is the internal equivalent of either a simple variable or formal parameter. If < 0, e is the contra-identifier of a function name. e = 0 occurs only at a call from S1L10. Then nothing is added to the object programme;

if e ≠ 0 then
begin
if e > 0 then SO(e + 2↑26 × 98)   ×
else SOp
end if e > 0;
end if g = 0
else
begin

Representation of constant e is indicated by bit t of g = $\overline{0\ 000000t01\ 0...0}$;

SO (g + 2↑26 × 98);   ×
SO(e);

Thus, in the object programme, constant e is subsequent to the extract normally instruction concerned;

end else
end SOk;

```
                                     comment
        procedure SO1;              contra-declares a label, which is either identifier
                                    st[S] or, when g ≠ 0, the constant e.
                                    For 127 = 0̅ ̅0̅0̅1̅1̅1̅1̅1̅1̅1  cf. table 2A;

        if g = 0 then SOn(2↑23 × 127)                                            ×
        else
        if e < 0 or  2↑24 ≤ e then                                               ×
SO1L1: wrong;                       cf. table 5
        else
        begin
        a : = e + 2↑24 × 63 + 2↑32;  e + 2↑24 × 63 is the identifier form of a    ×
                                     constant label e;

        e : = P + 2↑23 × 127;
        SOe(a);
        SO(0)
        end SO1;
```

```
                                        comment
procedure SOm(F);              stores word in list L on address SO - 1;

begin

SO : = SO - 1;  st[SO] : = F;

if  P + 2 > SO then SOg;       compare procedure SO

end SOm;
```

```
procedure SOn(F);

begin
e : = P + F;
SOe (st[S] + 2↑32);
SO(0);

end SOn;
```

comment

stores contra-declaration of identifier st [S]
(cf. S4L23) in list I, with P + F as internal equivalent;

×

Thus a preliminary zero is stored in the place of
an instruction which is inserted later

```
                                    comment
procedure SOp;                   contra-declares name of function having no parameters;
begin
a : = e;                         which is the contra-identifier of the function name;
e : = P + 2↑23 × 31;
SOe(a);
SO(0)
end SOp;
```

comment

procedure SOr;   inverts gression bit of instruction d;

begin

g : = d or 2↑26;   ×

if g = 0 then

begin

a : = d or 2↑26 × 126 ;   ×

if a = 2↑26 × 64 or a = 2↑26 × 68   × ×

or a = 2↑26 × 70 or a = 2↑26 × 74

or a = 2↑26 × 80 or a = 2↑26 × 82

or a = 2↑26 × 88

then g : = - 2↑26   ×

end

Then operator (cf. table 1A) is not commutative.
When the operator is commutative, the bit d_6 = 0
is not replaced by 1;

d : = d - g

end SOr;

comment

procedure SOs;

This procedure makes a contra-declaration of
identifier st[S] according to the value
$p = \overline{0 \ \overline{011111111}}$
listed in table 2A together with an explanation.
The procedure is invoked only on S2aL19 and S5aL27
and S2aL19;

begin
a : = st[P];
e : = 2↑23;   ×
if a ≠ 0 then e : = e or a;

Then e = 0 indicates that a is an ar2 instruction
(cf. S6aL61) referring to a formal parameter;

if e = 0 then a : =
a + 2↑23 + 2↑26 × (108-125);

Cf. VERIFY and ar2 in table 1D;   ×

SO(a);

Thus either a VERIFY instruction is stored, or an
ar2 instruction or 0 is restored;

SOn(2↑23 × 255 - 1);

Then P is again increased, and a zero is stored   ×
on address P - 1, while the contra-declaration
made refers to the address P - 2

end SOs

comment
Progressive after-actions of opening symbols
(cf. table 1 B).
S1L6;

switch sw : =
S5aL1, S6aL1, S3bL1, S9aL1, S7aL1,
S8aL2, S2aL1, S8dL0, S8bL2;

Regressive after-actions of opening symbols.
S1L21;

switch SW : =
S5aL3, S6aL5, S3bL2, S9aL2, S7aL2,
S8aL1, S2aL13, S8dL1, S8bL1;

The entries correspond to the after-actions of
([begin : = for go to if procedure switch;

comment

Compound statement entry.

The constants

LO, PO, QO, and QOO of tabel 1E

are the initial values of the address variables.

When, on S3bL8, the translation finishes, the   + +

first word of the object programme is inserted on

address PO;

begin

entry: P : = PO + 1;

q : = QO; **T** $\mathfrak{x}$ = T1: = QOO-2xh;

T2 : = QOO;

SO : = LO;

S : = 1 + SO;

st [SO - 1] : = R : = O;

go to S6aL11;

Then Saccent : = 8191,

st[SO]: = g : = mark : = O.

As the opening symbol begin   occurs in front

of any text, input goes to compound S3.

Procedure SOh cannot do any harm, for

st[S - 2] = O differs from the internal value 322

of begin.

end entry;

comment

```
                              Compound statement S1.
        begin                 After reading a delimiter  f  which is either an
                              operator (table 1A) or a separation or closing
                              symbol (table 1B),
                              procedure input goes to here;
  S1L1: S0a;                  Then c = st[S - 3], d = st[S - 2], e = st[S - 1],
```

$a = 32 \times \text{rank } r_d$ of delimiter d,

$b = 32 \times \text{rank } r_f$ of delimiter f;

```
  S1L2: if Saccent = S then go to S1L4;
```

cf. S3aL4 and S5aL5. Then the identifier or constant preceding delimiter f in the text need not be examined;

```
        if g < 0 then g : = 0;
```

Then identifier $st[S] = e - 2^{32}$ represents an array (cf. S4L22). As this significance of the identifier is nonsens here, it must be non-local, and another local declaration of the identifier may be expected later.

Only exception: identifier is actual parameter, representing array. Then g : = 0 does no harm;

```
        if e = 0 and g = 0 then go to
        S1L3;
        if f ≠ 32 × 5 + 2↑26 × 97
        then go to S1L4;
S1L2a: wrong;
```

Then delimiter f is preceded in the text by the 0-identifier (there is no identifier and no constant);

×

Operator not is preceded by an identifier or constant.
S1L2;

```
S1L3 : if a < 128 then
S1L3a: wrong;
```

Then an identifier or constant has been omitted behind the arithmetic operator d;

```
        if f = 32 × 3 + 2↑26 × 72
        then go to input;
```

for skipping + in a = + b etc.;

×

comment

if d = 322 then go to S1L21;	for a dummy statement. Then the after-action of d with f = semi-colon or end is considered to be regressive;
if f = 32 × 5 + 2↑26 × 97 then go to S1L4;	for operator not;
if f ≠ 32 × 3 + 2↑26 × 74 then	
S1L3: wrong;	Then an identifier or constant has been omitted;
f : = 32 × 3 + 2↑26 × 96;	In a = - b etc. - is treated this way.
	S1L2;
S1L4: if b < a then go to S1L26;	Then reading continues and d is a regressive operator or opening symbol.
	Otherwise reading is interrupted: ;
S1L5: if Saccent = S then go to S1L21;	Then d is either a regressive operator, or an opening symbol which is regressive with respect to the after-action with f (cf. S5aL5 and S3aL4).
	In general, however, an operator or opening symbol d which is translated first after interrupting the reading, is progressive: ;
S1L6: if a = 320 then go to sw [d-319];	for progressive after-actions of opening symbols;
S1L7: if Saccent + 2 < S then SOd;	Then object programme must be provided with storing and extracting a partial result;
S1L8: a : = d or 2↑23 × 5;	Then a is either = 0 or a = $\overline{0\ 000000↑01\ 0...0}$ and c a programme const. whose representation is indicated by the bit t. For g and e it is analogous(cf. S1L26 and S1L29);
S1L9: d : = d - a + g;	which is thus associated to e instead of c;
S1L10: if Saccent + 2 = S then go to S1L11;	Otherwise object programme must be equipped with filling the accumulator:;
g : = a;	
a : = e; e : = c; c : = a;	c and e interchange their values;

comment

SOk; e : = c;
> Thus previous value of e is restored.
> S1L10, S1L25;

S1L11: if d or 2↑23 ≠ 0 then go to
S1L15;
> Then instruction d is ready and e is a programme
> constant to be used by instr. d;   ×

S1L12: if e > 0 then go to S1L14;
> Then e is the internal equivalent of either a simple
> variable or formal parameter.
> Otherwise $e - 2^{32}$ is an identifier (cf. S4L22) which,
> in this position, can only be the name of a function
> having no parameters: ;

if d ≠ 32 × 3 + 2↑26 × 96 and
d ≠ 32 × 5 + 2↑26 × 97
then go to S1L13;
> Otherwise d is an operator not or − such as   ×
> does not, in operation time, require to store
> a previous partial result: ;   ×

SOp;
> Compare S1L13;

go to S1L22;
> S1L12;

S1L13: SO (partres);
> for storing previous partial result;

SOp;
> Thus a contra-declaration of identifier $c - 2^{32}$
> is made according to p = $\overline{0\ 000011111}$ which constant
> is listed in table 2A together with an explanation;

e : = 2↑23 × 507;
> For, in operation time, instruction d must   ×
> extract a partial result;

SOr;
> Thus the gression bit d_6 is inverted. When, for
> example, function − p × q + ... is translated, then
> operator − is regressive according to the general
> rule. Thus p × q is translated first. Before, in
> operation time, function may be invoked, the object
> programme must at first store the partial result accu
> which is p × q. Therefore the minus instruction is to
> be translated in the form
> accu : = accu − (partial result)
> which is progressive instead of regressive.

comment

S1L12;

S1L14: e : = e — 2↑26 × 63 +
    (d or 2↑26 × 127);
    go to S1L16;

                                                            ×

S1L11;
S1L14, S1L22, S1L23;
Thus instruction or programme constant is stored
in the object programme.

S1L15: SO(d);
S1L16: SO(e);

S3bL14, S7aL18, S8aL3, S9aL2;
Operator st[S] has been translated and will be
overwritten now;

S1L17: Saccent : = S : = S — 2;

cf. S1L1;

S1L18: SOa;
S1L19: if b < a then go to S3L5;

Then translator again proceeds to reading.
Otherwise translation continues (cf.S1L4).
S1L5, S1L3;

S1L21; if a = 320 then go to
    SW[d — 319];

for regressive after-actions of opening symbols
(cf. S1L6).
S1L12;

S1L22: if d ≠ 32 × 5 + 2↑26 × 97
    then go to S1L23;
    e : = take inversion;

                                                            ×

That code instruction of table 1E is the regressive
version, and extract inversion of table 1C is the
progressive version of operator not;
S1L22;

    go to S1L16;
S1L23: if d ≠ 32 × 3 + 2↑26 × 96
    then go to S1L24;
    e : = take complement;

That code instruction of table 1E is the regressive ×
version, and extract complement of table 1C which
has been introduced at the end of S1L3 is the
progressive version of operator —, when — is preceded
by the O-identifier;

    go to S1L16;
S1L23;

S1L24: SOr;

    e : = c;

S1L25: go to S1L11;
S1L26: SOc (f + g);

S1L27: mark : = 0;

S1L28: st [S − 1] : = 0;

S1L29: g : = 0;
    go to input;

    end S1;

comment

That procedure sets the gression bit d_6 which is
still = 0, to 1, for operator d is regressive;
If that is a programme constant, the indication
of its representation is already recorded in d; .
S1L4;
with either g = 0, or g = $\overline{0\ 000000t01\ 0...0}$, the bit
t indicating the representation of e which is a
programme constant (cf. S1L29).
if, at the next action of this compound S1, operator
st [S − 2] just listed in L is found to be progressive,
the g-part is removed from it and replaced by the next
value of g, on S1L9.
S3L5, S5aL6, S6aL11;
cf. table 4C.
S3aL4, S3cL6, S5L9, S6aL31, S6aL61, S8L2, S8dL8, S9L4;
If the translator proceeds to S4L23 or S4aL2, this 0
is replaced by something else.
S4L21;
After reading a constant, procedure input goes to
compound S4a with g = $\overline{0\ 000000t01\ 0...0}$ in which bit
t indicates the representation of the constant f read.
On S4L22, occasionally an ar1 instruction is assigned
to variable g as value;

begin

S2L1: f : = 326
          SOh;
S2L2: SOc(mark);
          go to S3L3;

          end S2;

comment
Compound statement S2.
Pre-action of the opening symbol if;
Cf. if in table 1B;
Cf.S3L2;

Then, for translating an if-expression, there is
listed in L:
st[S - 4] = mark   (cf. table 4C),
st[S - 3] = 0,
   from 1st after-action: minus address P'
   where to store a test instruction,
   from 2nd after-action: plus address P"
   where to store a pass instruction.
st [S - 2] = value 326 of if,
st [S - 1] = 0.
Signal mark is set to 0. The listed value,
st [S - 4], is re-introduced on the 1st and 2nd
after-actions of if;

comment

begin	Compound statement S2a.
	After-actions of the opening symbol __if__.
	Delimiter f is either __then__ or __else__ or the closing symbol of a conditional expression or
	— statement E. On S1L1, the value 0 or −P' or +P", mentioned in compound S2, has already been assigned to variable c.
	Progressive:
	The expression, preceding delimiter f, is a single identifier or constant i
	S1L6;
S2aL1: d : = st [S − 4];	being the value of mark retained by compound statement S2;
S2aL2: __if__ c × d ≠ 0 __then__ __go__ __to__ S2aL4;	Then the 2nd or 3rd after-action of __if__ is beginning, f being __else__ or the closing symbol, and, in addition, d is = 1 or 2.
	Then i may be a label.
	Otherwise i is no label: ;
S2aL3: SOk;	Thus object programme is equipped with filling the phantom accumulator;
	S2aL2;
__go__ __to__ S2aL20;	
S2aL4: __if__ d = 2 __then__ __go__ __to__ S2aL17;	Then i is a label (or a formal parameter that may only represent a label), and E is a designational expression.
	Otherwise expression E is an actual parameter;
S2aL5: __if__ g ≠ 0 __then__ __go__ __to__ S2aL11;	Then i is the constant e.
	Otherwise i is an identifier : ;
S2aL6: __if__ e < 0 __then__ __go__ __to__ S2aL9;	Then $i = e − 2^{32}$ is found to be no simple variable and no formal parameter (cf.S4L22).

comment

Identifier i is found to be a simple variable
or formal parameter with the internal equivalent e:;

S2aL7: if e - $2\uparrow23 \times 505 > 0$
     then go to S2aL18;

Then i is a simple variable, and an extract-normally
instruction is added to the object programme.
Otherwise i is a formal parameter:;

S2aL8: g : = e + $2\uparrow23$ + $2\uparrow26\times(110-63)$;which is a verify instruction (cf. table 1D).   ×

In operation time, the bit $g_9 = 1$ of instruction g
makes the test on S10L13 fail, and the interpreter
proceeds to S10L140. There the instruction X whose
formal parameter represents the actual parameter in
which expression E is contained, is examined: If X is
no jump instruction, then the formal parameter i to
which the verify instruction refers, cannot represent
a label so that the verify instruction is to be
interpreted as the extract normally instruction referring
to i.
S2aL6;

S2aL9: SO(g);

S2aL18;

S2aL10:g : = st [S] + $2\uparrow32$;

being the contra-identifier of i   ×
(cf. S4L23);

    e : = P + $2\uparrow23 \times 511 - 1$;   ×
    go to S2aL12;

The contra-declaration g, e to be stored now is made
according to p = $\overline{0\ 111111111}$ which constant is listed in
table 2A together with an explanation. It refers to the
address x = P - 1, where the object programme contains
either the mentioned verify or extract normally
instruction or O.
S2aL5;

comment

S2aL11: SOk;

Then st[P − 2] is the extract normally instr.

which, in operation time, extracts the programme

constant st [P − 1] = 1;

$$\text{if } e < 0 \text{ or } 2\uparrow 24 \;\leq\; e$$
$$\text{then go to S2aL20;}$$
$$g : = e + 2\uparrow 24 \times 63 + 2\uparrow 32;$$
$$e : = P + 2\uparrow 31 \times 3 - 2;$$

Then constant i is not suitable for being a label.

Constant i may occur as a label:; x

which is the contra-identifier of a constant label i;

The contra-declaration g, e to be stored now is x

made according to p = $\overline{1\ 100000000}$ which constant is

listed in table 2A together with an explanation. It

refers to the address x = P − 2, where the object

programme contains the extract normally instruction. The

internal equivalent e is negative.

S2aL10;

S2aL12: SOe(g);
      go to S2aL20;

thus the contra-declaration is stored now;

Regressive:

The expression I preceding delimiter f is non-trivial

(no identifier and no constant).

S1L21;

S2aL13: d : = st[S − 4];

cf. S2aL1;

S2aL14: if c × d = 0 then go to
      S2aL20;

Then expression I cannot be a switch designator

(cf.S2aL2) and has already been translated.

Otherwise I = i [E] is either a subcripted variable

or a switch designator. The subcript E has been

translated in compound S6a;

S2aL15: P : = P − 1;

Then st[P] is either the ar2 instruction referring to

i, in which case i has been found to be either an

array identifier or a formal parameter, or 0

(cf. S6aL61);

```
                                                  comment
S2aL16:  if d = 1 then go to          Then i [E] is contained in an actual parameter.
         S2aL19;                       i [E] is a switch designator thus  i  a  switch
                                       identifier:
                                       S2aL4;
S2aL17:  SOl;                          Label or switch identifier is contra-declared;
         go to S2aL20;                 S2aL7;
S2aL18:  SOk;
         go to S2aL10;                 S2aL16;
S2aL19:  SOs;                          S2aL3, S2aL11, S2aL12, S2aL14, S2aL17;
S2aL20:  mark : = d;                   At the after-actions with f = then or else signal
                                       mark is restored to the value retained by compound S2;

S2aL21:  e : = P;
S2aL22:  if c < 0 then go to S2aL28;   for the 2nd after-action;
S2aL23:  if c ≠ 0 then go to S2aL31;   for the 3rd after-action.
                                       1st after-action:;
S2aL24:  e : = - e;                    S2aL30;
S2aL25:  st [S - 3] : = e;
S2aL26:  SO(0);                        At the next after-action, this 0 is replaced by a
                                       test  or pass instruction;
S2aL27:  go to S1L28;                  S2aL22;
S2aL28:  if f ≠ 326 then e := e - 1;   Cf. else in table 1B;
S2aL29:  st [-c]: =e+1+2↑23+2↑26×111;  Cf.test in table 1D;
S2aL30:  if f ≠ 326 then go to S2aL32; Then the separation symbol else is not present;
         go to S2aL25;                 else is present.
                                       S2aL23;
S2aL31:  st [c]:= e+2↑23+2↑26×121;     Cf.pass in table 1D.
                                        S2aL30;
S2aL32:  S : = S - 2;                  Thus, at the last after-action of if, mark is set to 0
         go to S8aL3
         end S2a;
```

comment

Compound statement s3.

Pre-action of the opening symbol begin;

S3L1: f := 322;	Cf. begin in table 1B;
D := 2↑23 × 1023	Cf. D in table 2;
S3L2: SOh;	Perhaps opening symbol begin immediately follows a

block head. Then procedure SOh completes the dynamic
introduction of the block.

S3L3: st[S − 1] := 0;	S2L2, S6L9;
S3L4: Saccent := 8191;	S7L2, S9L10;
S3L5: SOc(f);	S1L19, S5L4, S6L19;
go to S1L27;	After pre-action of opening symbol, reading

continues.

For translating a compound statement there is listed
in L:

st[S − 3] = 0,

st[S − 2] = value 322 of begin,

end S3;

st[S − 1] = 0

begin

S3aL1:D : = D or f;

if (D or 2↑28) = 0 then go to
S3aL4;

S3aL2: SOa;

if d ≠ 322 then

S3aL2a: wrong;

S3aL3: if c ≠ 0 then go to S3aL4

st[S - 1] : = q;
SOc(P);
SO(0);
st[S - 1] : = T;
SOc(322);

S3aL4: Saccent : = 8;

go to S1L28;

end S3a;

comment
Compound statement S3a.
After reading a declarator or specificator (table 2),
procedure input goes to here;
Thus declaration is replaced by its logical product
with f;
Then f is a specificator or specifying declarator;   ×

for extracting opening symbol from list L;

Then declarator occurs in the wrong place;
Then block has already been prepared in L by a
previous declarator.
First declarator of a block:;

S3aL1, S3aL3, S3bL2, S4L30, S5L2;
For translating a block there has been listed in L:
st[S - 7] = 0, which 0 may be replaced through
procedure SOi by an address to inform procedure SOh,
st[S - 5] = q', being the highest address occupied by
a local variable,
st[S - 4] = address P' where the block has its object
programme beginning,
st[S - 3] = T', being the highest address in the list I,
occupied by any identifier declared in the block,
st[S - 2] = value 322 of opening symbol begin,
st[S - 1] = 0

```
        begin                              comment
                                  Compound statement S3b
                                  After-actions of opening symbol begin
                                  Delimiter  f  last read is either comma or semi-colon
                                  or end.
                                  Progressive:
                                  S1L6;
S3bL1: SOh;                       A block head may be followed by a procedure statement
                                  consisting of a single procedure identifier (cf.S3L2);
       SOn(2↑23 × 31);            A contra-declaration of the procedure identifier is      ×
                                  made according to p = 0 000011111 which constant is
                                  listed  in table 2a together with an explanation.
                                  Regressive:
                                  S1L21;
S3bL2: if  f ≠ 330 then go to S3bL3;   Then  f  is no comma (cf. table 1B);
       If D > 0 then go to S3aL4;       Then comma occurs in list of identifiers to be
                                        declared;
S3bL2a: wrong;                    Comma occurs in a block as separator of statements.
                                  S3bL2;
S3bL3: T1: = T;                   This bound is observed by procedure SOf;
S3bL4: D : = 2↑23 × 1023;         as happens also on S3L1;                                 ×
S3bL5: if  f = 332 then go to S6aL11;   for reading next declaration or statement of compound
                                        statement or block, which is subsequent to semi-colon f;
       if  f ≠ 322 then
S3bL5a: wrong;                    Then a declaration or statement of a compound statement
                                  or block is followed by a delimiter, differing from
                                  semi-colon and end.
                                  After-action of begin with  end:
                                  On S1L1, st[S − 3], as left by either compound S3 or
                                  S3a, has been assigned to variable c;
S3bL6: if c ≠ 0 then go to S3bL9;   Then a block is closing.
                                  A compound statement is closing;
```

comment

e : = Q00-2×h;	which is the highest value T can have; +
if S = SO + 3 then go to S3bL13;	Then the text is a compound statement instead of a block. Labels may occur in it.
	S3bL14;
S3bL7: if S > SO + 3 then go to input;	input, in this comment situation, looks for the next delimiter f which is equal to either semi-colon or end or else, then going with f to S1L17. Then the delimiter preceding begin in the list L, is going to after-act with f.
	The whole text has been read:;
S3bL8: SO(0);	Thus last word of object programme is 0, but may be a jump to any stop of the machine;
st[PO] : = P;	Thus 1st word of object programme is address where + working space begins;
S3bL8a ≠wrong;	Object programme is ready!
	S3bL6;
S3bL9: S : = S - 2; SOa;	Now st[S - 4] is the delimiter preceding begin in the
S : = S - 2;	list L. For c = q' etc. cf. compound S3a;
S3bL10: st[d] : = q+R+2↑23+2↑26×127;	Thus, in object programme of block, an adjust × instruction is the first word;
S3bL11: SO(c+R+2↑23+2↑26×119);	Thus in object programme of block, a restore instruction × (cf. table 1D) is the last word.
	S8dL7;
S3bL12: q : = c;	Thus value of q, which was present when first declarator of block was read, is restored.
	S3bL6;
S3bL13: a : = T;	On S3bL3, the value of T was also assigned to T1.
	S3bL15, S3bL18, S3bL20, S3bL34;
S3bL14: if a ≠ e then go to S3bL15;	Then the contra-identifier occurring next on the addresses a+2, a+4, ...e is looked up.

```
                              comment
                              All contra-identifiers have been considered:;
T1 : = T : = e;               Then in the list I  t is the highest address,
                              occupied by an identifier which is local to the
                              translated block;
T2 : = Q00;                   Cf. table 1E;                                    +
if st [8 - 3]<0 then go to    Then it is a block that closes,
S3bL7;                        st [S - 3] having been made negative by procedure
                              SOh after reading the block head.
                              A procedure is closing:;
f : = 332;                    Thus semi-colon  f  of compound S8d is restored;
go to S1L17;                  as ultimately happens too with a block
                              (cf. S3bL7).
                              S3bL14;
S3bL15: a : = a + 2;          Then st [a] is a normal (positive) identifier.
f : = st [a] + 2↑32;          st [a] is a contra-identifier:;
if f < 0 then go to S3bL14;
S3bL16: T2 : = e; SOf;        Then identifier  f  corresponding to contra-
                              identifier st [a] is looked for on the addresses
                              T+2, T+4, ...T2;
b : = st[a - 1];              being the internal equivalent of the contra-
                              identifier;
S3bL17: if d > 0 then go to S3bL21;  Then procedure SOf has found identifier  f  on
                              address c, d = st[c - 1] being the internal
                              equivalent (cf. table 2) of f. Then contra-identifier
                              st [a] can be satisfied.
                              Identifier  f  has not been found so that the
                              contra-identifier remains unsatisfied:;
S3bL18: e : = T2;             Thus the value of e as it was on S3bL16, is
                              restored.
```

comment

```
        if S > SO + 3 then go to           Then the translator does not yet see the end of
        S3bL19;                            the text, thus may regard the unsatisfied contra-
                                           identifier as to be non-local to the closing block
                                           or procedure.
                                           Otherwise the text, either a block or a compound
                                           statement, is closing:;
        if b < 0 then go to S3bL14;        Then f - 2^24 × 63 is a programme constant, that,
                                           because of its position within an actual parameter,
                                           was expected to be perhaps a reference to a label,
                                           but is found now to be not;
                                           Any identifier of the text has not been defined.
S3bL18a: wrong;                            S3bL18;


S3bL19: st[a - 1] : = st [e - 1];
        st[a] : = st [c];
        st[e - 1] : = b;
        st[e] : = f + 2↑32;                Thus 2 declarations are interchanged;            x
        a : = a - 2;                       The non-satisfied contra-identifier is considered to
        e : = e - 2;                       be no longer local. Thus  e  is again the highest
                                           address where a local identifier is listed in I;
S3bL20: go to S3bL14;                      S3bL17;
S3bL21: T1 : = c;                          which is used on S3bL33;
S3bL22: e : = d or (2↑23 - 1);             being address + 2^13 × rank;                     x
        c : = b or 8191;                   being the address where either an instruction or the
                                           main word of a parameter key is to be inserted.
                                           For internal equivalent b cf. table 2A;
                                           Then b = 0 indicates, that the contra-declaration
        b : = b - c;                       refers to the key of an actual parameter that is a single
                                           identifier.
                                           There must be formed either  d = main word, and
```

The equations: $S > SO + 3$, $b < 0$, $f - 2^{24} \times 63$, $f + 2{\uparrow}32$, $2{\uparrow}23 - 1$, $2^{13} \times \text{rank}$, $b = 0$.

comment

e = by-word of the key (cf. table 3) of an actual
parameter that is an identifier or a constant,
or d = instruction;

S3bL23: if b ≠ 0 then go to S3bL35;   for a constant parameter or an instruction.

Parameter is an identifier:;

S3bL24: if 2 × d < 0 then go to S3bL29; Then parameter represents either a formal parameter
or a simple variable (cf. table 2);

S3bL25: if 4 × d < 0 then go to S3bL28; Then parameter represents an array;

S3bL26: if 8 × d < 0 then go to S3bL30; Then parameter represents a label or switch.

Parameter represents a procedure:;

S3bL27: d : = e or (2↑23 − 2↑13);   being 2^{13} × rank of procedure identifier;   ×

e : = e + 1 − d;   being 1 + address where procedure has its object
programme beginning;

d : = d + 2↑23 × 57;

go to S3bL31;   S3bL25;

S3bL28: e : = g − e − 2↑23 − 2↑26×126; Cf. ar1 in table 1D;

go to S3bL31;   As procedure SOf assigned an ar1 instruction
(cf. S6L8) to variable g as value, e is a
difference of addresses now.

S3bL24;

S3bL29: if (d or 2↑23) = 0 then   Then actual parameter represents a formal   ×
d : = e + 2↑26 × 3;   parameter

S3bL26;

S3bL30: e : = 0;   Thus, for a parameter representing a simple variable
or formal parameter or label or switch, the by-word
is cleared, which is facultative.

S3bL27, S3bL28;

S3bL31: st[c − 1]: = e;   Thus by-word is stored.

The key main word of a parameter, representing a simple

```
                                        comment
                              variable or array or label or switch i, is equal to
                              the internal equivalent of i.
                              S3bL47;
S3bL32: st[c] : = d;          Thus key main word or instruction is stored.
                              S3bL42, S3bL43;
S3bL33: SOf;                  Cf. S3bL21;
       if d > 0 then
S3bL33a:wrong;                Any identifier has been defined twice in the same
                              block or , or in the same procedure outside the
                              blocks contained in it;
S3bL34: T1 : = T;             Thus the value of T1 as it was on S3bL14, is
                              restored;
       e : = T2;              Ditto;
       go to S3bL14;          Satisfaction of contra-identifier st[a] is ready.
                              S3bL23;

S3bL35: d : = d - e;
       g : = e or 8191;       Then g  is the address taken from the declaration.
                              Now the kind of the object referred to by the contra-
                              declaration (cf. table 2A) is examined. It must be in
                              accordance with that of the object referred to by the
                              corresponding declaration (cf. table 2);
S3bL36: if b < 0 then go to S3bL48;  Then a constant occurring in an actual parameter (or
                              being an actual parameter) is found to be used as a label
                              too - the declaration of which having been found;
S3bL37: if 2 × b < 0 then go to S3bL43; Then st[c] is a verify or extract normally instruction
                              or 0, occurring in the object programme of an actual
                              parameter (cf. S2aL6);
S3bL38: if 4 × b < 0 then go to S3bL42; Then st[c] is a VERIFY or ar2 instruction or 0,
                              occurring in the object programme of an actual
                              parameter (cf. S2aL15);
```

comment

S3bL39: if 8 × b < 0 then go to S3bL45;Then a jump instruction is to be inserted in the object programme of a switch or go to statement, identifier f having been contra-declared on S8aL2 for example.

In the object programme of a function designator or procedure statement, the 1st word must be adjusted, identifier f having been contra-declared on S5aL6 or S1L13 or S3bL1 for example;

S3bL40: if d ≠ 2↑26 × 63 then go to S3bL41;   Then identifier f may only have the significance of a procedure identifier.   ×

Identifier f has been found in the significance of a formal parameter:;

g : = if 16 × b < 0 then 2↑26 × 120 else 2↑26 × 98;   Cf. extract normally and prostat in tables 1 C – × and 1 D;

go to S3bL47;   S3bL40;

S3bL41: if d > 2↑29 then   ×

S3bL41a:wrong;   A procedure statement or function designator invokes nonsense;

if 16 × b > 0 then go to S3bL44;
if st[g + 1] > 0 then go to S3bL44b;

S3bL41b:wrong;   A function designator or procedure statement having actual parameters, invokes a function or procedure having no formal parameters.
S3bL38;

S3bL42: if d = 2↑26 × 63 then go to S3bL33;   Then identifier f is a formal parameter;   ×
if 2 × d < 0 then

comment

S3bL42a:wrong;	A subcript has been attached to a simple variable;
if $4 \times d < 0$ then go to	Then f is an array identifier;
S3bL33;	
if $8 \times d < 0$ then go to	Then st[c] is replaced by a jump instruction;
S3bL46;	
S3bL42b:wrong;	A subscript has been attached to a procedure identifier.

Left column:

S3bL42a:wrong;
    if $4 \times d < 0$ then go to
    S3bL33;
    if $8 \times d < 0$ then go to
    S3bL46;
S3bL42b:wrong;

S3bL43: if $2 \times d < 0$ then go to
    S3bL33;
    if $4 \times d < 0$ then
S3bL43a:wrong;

    if $8 \times d < 0$ then go to
    S3bL46;

S3bL44: if $st[g + 1] > 0$ then
S3bL44a:wrong;

S3bL44b:e : = J0;
    go to S3bL47;

Right column (comment):

A subcript has been attached to a simple variable;
Then f is an array identifier;

Then st[c] is replaced by a jump instruction;

A subscript has been attached to a procedure identifier.
S3bL37;
Then identifier f is either a simple variable
or a formal parameter and st[c] is not changed;

An array identifier occurring within an expression
is not followed by a subscript;
Then f is a switch identifier or a label;
Identifier f is a function or procedure name.
The function designator or procedure statement
has no actual parameters:

S3bL41;

A function designator or procedure statement having
no actual parameters, invokes a function or procedure
having formal parameters.
S3bL41;
Cf. table 1E;
On address c , a code instruction is stored which,
in operation time, jumps to address g where the
object programme of the function or procedure
begins.
S3bL39;

                                    comment

S3bL45: <u>if</u> b = d <u>then</u> <u>go</u> <u>to</u> S3bL46;   Then f is a label or switch identifier.
                                                    Identifier f is a formal parameter:;
        g : = 2↑26 × 122;   Cf. jump in table 1D;   ×
        <u>if</u> d = 2↑26 × 63 <u>then</u> <u>go</u> <u>to</u>
        S3bL47;   Then f is indeed a formal parameter;   ×
S3bL45a:wrong;   nonsense, referred to in a designational
                                                    expression.
                                                    S3bL42, S3bL43;
S3bL46: g : = 2↑23 + 2↑26 × 122;   Cf.jump in table 1D.   ×
                                                    S3bL40, S3bL44, S3bL45, S3bL48;

S3bL47: d : = e + g;   for storing instruction or key main word.
        <u>go</u> <u>to</u> S3bL32;   S3bL36;

S3bL48: g : = <u>if</u> 2 × b < 0
        <u>then</u> 2↑23 + 2↑26 × 109   Cf.Verify in table 1D and key main word of
        <u>else</u> 2↑23 × 89;   constant parameter in table 3;   ×
        <u>go</u> <u>to</u> S3bL47
        <u>end</u> S3b;

	comment
begin	Compound statement S3c.
	Colon goes to here from input;
S3cL1: **if**(D **or** 2↑24) ≠ 0 **then** **go** **to** S3cL2;	Then colon declares the label preceding it × in the text. Otherwise pattern D contains the type indication of an array declaration, colon being the separation symbol between a lower and upper bound:;
	Cf. colon in table 1B;
f : = 331;	S3cL1;
go **to** S1L1;	Cf. S3L2;
S3cL2: SOh;	Then label is an integer
S3cL3: **if** g > 0 **then** **go** **to** S3cL7;	(compare procedure SO1);
if e = 0 **then**	Label has been omitted;
S3cL3a:wrong;	Cf. S4L23.
S3cL4: f : = st[S];	S3cL8;
S3cL5: e : = P + R + 2↑23 × 127;	Cf. label in table 2; ×
SOe(f);	Thus declaration of label is listed;
S3cL6: SO (q + R + 2↑23 + 2↑26×119);	Cf. restore in table 1D; ×
go **to** S1L28;	S3cL3;
S3cL7: **if** e < 0 **or** 2↑24 < = e **then**	×
S3cL7a:wrong;	Cf. table 5;
S3cL8: f : = e + 2↑24 × 63;	being the internal value of constant label f; ×
go **to** S3cL5	
end S3c;	

	comment
begin	Compound statement S4.
	After reading an identifier f, procedure input goes to here.
S4L1: **if** D < 0 **then** **go** **to** S4L22;	Then identifier f must be looked for in the list I.
	Identifier f must be declared or specified (cf. table 2):;
S4L2: **if** 2 × D < 0 **then** **go** **to** S4L9;	Then identifier f is declared a simple variable;
S4L3: **if** 4 × D < 0 **then** **go** **to** S4L11;	array identifier;
S4L4: **if** 8 × D < 0 **then** **go** **to** S4L37;	switch identifier;
S4L5: **if** 16 × D < 0 **then** **go** **to** S4L24;	procedure identifier; ×
S4L6: **if** (D **or** 2↑23) ≠ 0	Then f is either a **value** parameter, or is to be specified.
then **go** **to** S4L32;	Identifier f is a formal parameter to be listed in I:;
S4L7: P : = P − 1;	
e : = st[P];	
SO(D); SO(e);	Then st[P − 2] = D, and st[P − 1] = −2^{13} × rank of procedure (cf. S4L28);
S4L8: e : = q + 2↑26 × 63;	×
q : = q − 2;	
go **to** S4L19;	Relative addresses q + 3 and q + 2 are reserved for the main − and by-word of the parameter key.
	S4L2;
S4L9: **if** 8 × D < 0 **then** **go** **to** S4L18;	Then variable is not **own**.
	Variable is **own**:;
S4L10: SOi;	Cf. S4L24;
go **to** S4L15;	S4L3;
S4L11: o : = st[S − 1];	
S4L12: **if** 8 × D < 0 **then** **go** **to** S4L16;	Then array is not own.
	Array is own:;

comment

S4L13: if c ≠ 0 then go to S4L15;	Then f is not the 1st identifier of the list.
	1st identifier of the list:;
S4L14: SOi;	Cf. S4L24;
st[S − 1] : = P;	Then st [S − 1] is no longer = 0.
	Compound S6a will insert pre-value [a] of a = 1st array
	of declaration (cf. explanation)
	on address P.
	S4L10, S4L13;
S4L15: e : = P + D + 2↑29;	Then the bit e_3 of the internal equivalent = 1, ×
	as it is in the case of a variable or array being
	not own;
SO(0);	A place for the simple variable or the pre-value of
	the array is reserved in the object programme;
go to S4L20;	S4L12;
S4L16: if c ≠ 0 then go to S4L18;	Then f is not the first identifier of the list.
	1st identifier of the list:;
S4L17: SOh;	Thus the space of own variables and − arrays and of
	the object programmes of procedures and switches,
	which eventually precede the non−own array declaration,
	is bridged by inserting a pass instruction in the
	dynamic introduction of the block;
st[S − 1]: = q;	The relative address q is reserved for the
	pre-value [a] (cf. S4L14), that is an internal
	(non-declared) variable of the object programme.
	S4L9, S4L16;
S4L18: e : = q + D; q : = q − 1;	Thus internal equivalent e of identifier f
	contains the address reserved.
	S4L8;
S4L19: e : = e + R;	cf. S4L26.
	S4L15;

comment

S4L20: T1 : = T;	
T2 : = st[S − 3];	That is the address T' mentioned in compound S3a;
SOe(f);	Thus declaration is listed in I;
SOf;	
if d > 0 then go to S3bL33a;	Then identifier f is defined twice in the same block or procedure heading.
	S4L36;
S4L21: T2 : = Q00;	Cf. table 1E;
go to S1L29;	S4L1;
S4L22: SOf;	Identifier f is looked for on addresses T1 + 2, T1 + 4, ... T2, as explained in SOf;
S4L23: st[S − 1] : = e; st[S]: = f;	
go to input;	Because of the possible necessity to make a contra-declaration, identifier f remains available on address S, until the next delimiter is stored there in the list L.
	S4L5;
S4L24: SOi;	As the object programme of the procedure which is going to be translated now, is to be passed by the dynamic introduction of the block, a location is reserved for the pass instruction needed, unless this reservation has already been made earlier on S4L10, S4L14, S4L24 or S4L37;
S4L25: e : = P + R + D;	Thus the address P where the procedure has its object programme beginning, is contained in the internal equivalent e of procedure identifier f;
S4L26: R : = R + 2↑13;	R is cleared in compound entry, and decreased on S8dL3. $r = 2^{-13} \times R$ is the rank of the procedure, $r - 1$ is the rank of the procedure identifier;

+

comment

S4L27: SO(X);   Cf. table 1E;   +

S4L28: SO(-R);   The patterns of eventual formal parameters are
                                 inserted between instruction X and constant -R so
                                 that the latter must be shifted then (cf.S4L7);

S4L29: st[S - 1]: = q;   Cf. procedure in table 1B.
       q : = Q0 - 1;   S4L39;   + ×
       d : = 327;

S4L30: SOc(P);
       st[S - 1]: = T;
       SOc(d);
       SOe(f);   Cf. S4L20;

S4L31: go to S3aL4;   For translating a procedure, there has been listed
                                 in L:
                                 st[S - 5] = value q' of q which was present when
                                 declarator procedure was read,
                                 st[S - 4] = 2 + address P' where instruction X has
                                 been stored,
                                 st[S - 3] = address T' where procedure identifier f
                                 has been listed in I,
                                 st[S - 2] = value 327 of opening symbol procedure,
                                 st[S - 1] = 0.
                                 to be compared with the information listed by
                                 compound S3a.
                                 S4L6;

S4L32: e : = P - st[S - 4];   being the number of the formal parameters
                                 (cf.P' in S4L31);

       T2 : = R + e + e;   On that address the 1st parameter identifier is
                                 listed in I;

       SOf;   Thus identifier f is looked up in parameter list;

comment

```
        if d < 0 then
S4L33: wrong;

S4L34: e : = P - 1 + (T - c)÷2;


S4L35: st[e] : = st[e] or D;
S4L36: go to S4L21;
S4L37: SOi;
S4L38: D : = 2↑23 × 1023;
        M : = T;


        q : = q - 1;




        SOm(0)




S4L39: d : = 328;
        go to S4L30;
```

Then specified identifier does not occur in the
parameter list of the procedure;
On that address the pattern of the parameter to be
specified, is listed in the object programme;

S4L4;
Cf. S4L24;

Cf. S3bL 3 and 4. The expressions of the switch
list must be translated now;
This is compensated by S8bL9.
As there is supposed that the declarations of all
local variables and arrays are precedent to those of
switches and procedures, q + 1 is the lowest address,
occupied by a local variable (namely the internal
variable which is used by the adjust and restore
instructions) the switch list may contain deliberate
statements (jumping or not) as its elements;
Within the list L, this 0 will be preceded by the
pass instructions leading to the object programmes
of the switch list elements, until the list of
these pass instructions can be stored in the object
programme of the switch (cf. S8bL7);

For translating a switch, there is to be listed now
in L:
st[S - 4] = address where the switch list element to
be read now has its object programme beginning,

comment
st[S - 3] = address where switch identifier is
listed in I, the internal equivalent being stored
in I   on   S8bL10,
st[S - 2] = value 328 of opening symbol <u>switch</u>,
st[S - 1] = 0

<u>end</u> S4;

begin

S4aL1: <u>if</u> D $>$ O <u>then</u>
S4aL1a:wrong;

S4aL2: st[S - 1] : = f;

    <u>go</u> <u>to</u> input;

    <u>end</u> S4a;

comment

Compound statement S4a.

After reading a constant f, input goes to here with f and g $= 2^{23} \times \overline{0\ 000000t0\bar{1}}$ in which the bit t indicates the representation of f: $t = 1 \rightarrow$ f is real, $0 \rightarrow$ integral or boolean;

Then a constant occurs within a list of identifiers to be declared;

The delimiter which is subsequent to the constant is read

<div align="center">comment</div>

begin	Compound statement S5.
	Pre-action of the opening symbol (;
S5L1: SOh;	Cf. S3L2;
if D < 0 then go to S5L3;	Then either a function designator or a procedure statement or an expression enclosed within parentheses is going to be translated. A formal parameter list is beginning. Procedure SOh has assigned the value of opening symbol procedure (cf. table 1B) to variable d;
if d ≠ 327 then	
S5L1a:wrong;	Then (occurs in an identifier list of a block head; S8dL8;
S5L2: D : = $2\uparrow23 \times 30$;	Cf. table 2; ×
go to S3aL4;	The parentheses of a formal parameter part are not listed in L. S5L1;
S5L3: if g > 0 then	
S5L3a:wrong;	Then (is preceded by a constant;
S5L4: if Saccent < S then SOd;	Compare this with S1L7, where the operator st[S - 2] which is on the point of being translated, has already been listed in L; as happens too on S6aL11;
S5L5: Saccent : = 8191;	Cf. (in table 1B;
f : = 320;	Then an expression enclosed within parentheses is beginning in the text.
if e = 0 then go to S3L5;	function designator or procedure statement:;
S5L6: SOn($2\uparrow23 \times 63$);	Thus identifier f is contra-declared according to p = $\overline{0\ 000111111}$, which constant is listed in table 2A together with an explanation; ×

S5L7: SOm(0); SOm(0);

S5L8: SOc(P);
      SO(0);
      SOc(f);
S5L9: st[S - 3] ; = P;
      mark : = 1;
      go to S1L28;

      end S5;

comment
The keys of the actual parameters will be listed
in L, until all actual parameters will have been
translated (cf. S5aL17);

S5aL15;

Cf. table 4C;
For translating a function designator or procedure
statement, having actual parameters,
there has been listed in L:
st[S - 4] = address where to store the key address of
the function designator or procedure statement
(cf. S5aL23).
st[S - 3] = address where the object programme (it
may be empty) of the next actual parameter begins,
st[S - 2] = value 320 of (,
st[S - 1] = 0

	comment
	Compound statement S5a.
begin	After-actions of the opening symbol (.
	Delimiter f read last is either a comma or).
	On S1L1 the value of st[S − 3], as left by compound
	S5, has already been assigned to variable c.
	Progressive:
	Delimiter f is preceded in the text by p which
	is either a string or a trivial expression (identifier
	or constant).
	S1L6;
S5aL1: if c ≠ 0 then go to S5aL7;	Then p is an actual parameter.
	p, though enclosed within parentheses, is no
	parameter;
S5aL2: SOk;	Thus the object programme is equipped with filling the
	accumulator.
	Regressive:
	Delimiter f is preceded in the text by a non-trivial
	expression p.
	S1L21;
S5aL3: if c ≠ 0 then go to S5aL24;	Then p is an actual parameter.
	p is no actual parameter:;
if f = 321 then go to S5aL5;	Then expression p is enclosed within brackets
	(cf. S6L12).
	S5aL23;
S5aL4: if f ≠ 320 then	
S5aL4a:wrong;	Actual parameter, or expression intended to be
	enclosed within parentheses (or brackets), is
	followed by a wrong delimiter.
	S5aL3, S6aL26, S6aL42;

comment

S5aL5: Saccent : = S : = S - 2;

S5aL6: go to S1L27;

S5aL7: if g > 0 then go to S5aL10;

if c > 0 then go to S5aL8;

d : = -c; e : = P ;
go to S5aL14;

S5aL8: c : = st [S] + 2↑32;

S5aL9: d : = T;
go to S5aL13;

Delimiter st[S-2] is regressive, for it is precedent
to parentheses or brackets in the text. If its rank
should be not greater than that of the delimiter to
be read next regressivity is detected on S1L5.
S5aL1;
Then p is a constant, e, and g = $\bar{0}$ $\overline{000000t01...0}$,
bit t indicating the representation of e;
Then p is an identifier, st [S] (cf. S4L23),
c being the address listed in $\bar{L}$ on S5L8.
p is a string, c being the complement of the
mentioned address (cf. compound S5b):;

Thus the object programme of the string occupies the
addresses d, d + 1, ... e - 1.
$\bar{d}$, e becomes the string key (cf. table 3).
S5aL7;
As the parameter may be a label or a procedure- or   ×
switch identifier declared later in the text, the
parameter key may (and possibly can) not yet be
formed. Thus a contra-declaration of identifier st [S]
will be made according to p = $\overline{0\ 000000000}$ which
constant is listed in table 2A together with a
general explanation;

The contra-declaration is to point to the address x
where the key main word will be inserted in the object
programme. As x is still unknown in this stage of
the translation, the address d where contra-identifier

c will be listed in I, is stored in L as a - pre-
liminary key main word to be used on S5aL20 for
storing the internal equivalent of c.
S5a^{L}7;

S5aL10: d : = g + 2↑26 × 63;

which is similar to the internal equivalent   ×
of a simple variable (cf. table 2);

S5aL11: if e < 0 or 2↑24 ≤ e
then go to S5aL14;

Then constant e is either no integer or anyhow
unsuitable for being used as a label. Thus no   ×
contra-declaration is made.

Otherwise the constant parameter e will be contra-
declared according to p = $\overline{1\ 000000000}$ which constant
is listed in table 2A together with an explanation:;

S5aL12: c : = e + 2↑24 × 63 + 2↑32;
d : = d + T;

which is a contra-identifier;
Again (cf. S5aL9) the preliminary key main word
points to an address in I.
S5aL9;

S5aL13: SOe(c);

Thus contra-identifier c is listed in I.
On S5aL20 its internal equivalent is stored.
S5aL7, S5aL11, S5aL26;

S5aL14: if f ≠ 330 then go to S5aL16;

Then delimiter f is no comma, thus the actual
parameter part is closing in the text.
f is a comma (cf. table 1B):;

S5aL15: SOm(d); SOm(e);
go to S5L9;

Then there is in L:
st[SO] = by-word e, and
st[SO + 1] = main word d of parameter key, and
the next actual parameter is read.
S5aL14;

comment

S5aL16: SO(O);

Then, in the object programme, $st[P - 1] = 0$, $st[P]$ becoming the by-word of the parameter which is the last element of the parameter list.
Transport cycle:
S5aL22;

S5aL17: if d < O then go to S5aL21;

Then parameter is a non-trivial expression and the key is ready (cf. S5aL25);

S5aL18: g : = P + 1;

The key main word is to be stored on address g;

c : = 8191 or d;

Then c is either = O, or the address where the required contra-declaration is to be listed in I, or the address where the object programme of the string begins;

d : = d - c;

S5aL19: if d = O then go to S5aL20;

Then parameter is either a single identifier or a string.
Parameter is a constant:;

d : = d + P;

Then the key of the parameter looks as follows:
$st[P]=$ constant e,
$st[P + 1] = d = P + \overline{0\ 111111t01\ 0...0}$;

g : = g + 2↑32;

which $= P + 1 + 2^{32}$. If $c \neq 0$, then constant e ×
may occur as a label (cf. table 2A).
S5aL19;

S5aL20: if c > T then st[c - 1]: = g;

which is the internal equivalent of the contra-identifier stored in I on S5aL13. It refers to the main word of the parameter key which is to be formed or modified, when the translator will have arrived on S3bL23.
S5aL17;

comment

S5aL21: SO(e); SO(d);

Thus there has been added to the object programme:
st[P − 2] = by-word e, and
st[P − 1] = main word d of the parameter key;

S5aL22: e : = st[SO]; d : = st[SO+1];

Thus next parameter key is extracted from L;

SO : = SO + 2;

if d ≠ 0 then go to S5aL17;

Then the next key is transported.
All keys have been stored in the object programme;

S5aL23: S : = S − 2; SOa;

Then d is the address denoted with st[S − 4]
on S5L9;

st[d] : = P;

which is the key address of the function designator
or procedure statement;

go to S5aL4;

S5aL3;

S5aL24: if mark ≠ 0 then go to S5aL27;

Then mark = 1, the parameter having the form i[E],
in which identifier i = st[S].
i is expected to be either an array- or switch
identifier.
Parameter is a non-trivial expression differing
from i[E]:;

SO(return);

cf. table 1E. In the object programme of a   +
parameter i[E] which is a subscripted variable or
switch designator, the last word = 0 instead of return.
S5aL27;

S5aL25: e : = c + EO;

cf. table 1E;   +

d : = 2↑23 × 1017;

d, e is the key of an actual parameter which is   ×
a non-trivial expression; (cf. table 3);

S5aL26: go to S5aL14;

S5aL24;

S5aL27: P : = P − 1;

Then st [P] is either an ar2 instruction or 0
(cf. S6aL61);

SOs;

go to S5aL25
end S5a;

comment
The mentioned identifier i is contra-declared
because the ar2 instruction might, and a zero must
be replaced later by a jump instruction.
A zero is added to the parameter's object programme;

```
                begin                          comment
                                               Compound S5b.
S5bL1 : S0a;                                   Action of delimiter lsq (cf. table 1B);
                                               Then d = delimiter st[S - 2], the parenthesis
                                               having the value 320;
          if d ≠ 320 or c = 0                  Otherwise the string beginning in the text is an
          then go to S5bL2;                    actual parameter;
          st[S - 3] : = - c;                   Thus the address  P  listed in L on S5L8 is replaced
                                               by its complement;
                                               Then the string is read. For storing the successive
          go to input1;                        words, procedure S0 is recommended, because it also
                                               pays attention to the position of the list  L.
                                               After skipping delimiter rsq, input1 goes to S1L28;
S5bL2: wrong;                                  This string is no actual parameter thus perhaps a
                                               piece of code programme to be included in the object
                                               programme?
          end S5b;
```

begin

S6L1: f : = 321;

    if D < 0 then go to S6L10;

S6L2: SOa;

    if e = 0 then

S6L2a: wrong;

S6L3: D : = D + 2↑32;

S6L4: if B or 2↑29 ≠ 0 then go to
    S6L6;

S6L5: e : = P;

    go to S6L7;

S6L6: e : = q;

    T1 : = c;

comment

Compound statement S6.

Pre-action of the opening symbol [.

cf. [in table 1B;

Then a subscript list is beginning in the text.

 - bound pair list:;

Then the following assignments are performed:

c = value, variable T had, when the 1st declarator
of the block was read (cf. S3aL5),

d = value 322 of the opening symbol begin,

e = address, reserved for the pre-value [a] of the
1st array, called a in the explanations (cf. S4L14
and S4L16);

Then a list of array identifiers has been omitted;
for D must be negative during the translation of the
expressions of the bound pairs. Then the tests on
S6L1 and S4L1 succeed;

Then the arrays are not own.

Arrays are own:;

which = 1 + address where pre-value [c] of c, the
last array of the list, is to be stored later
(cf. S6aL41);

S6L4;

That address is reserved for the internal variable u.

Thus address e + 1 is reserved for pre-value [c] of c,
the last array of the list;

for, within the bounds, there only occur non-local
variables.

S6L5;

1.31.2

                                    comment

S6L7: SOc(e);

S6L8: e : = e + R + 2↑23 – 2 +   cf. ar1 in table 1D;
          2↑26 × 126;   ×

      SOe(2↑24 × 62);   In the case of an <u>own</u> declaration, the internal   ×
                                    equivalent of the factor identifier 2^{24} × 62 is not
                                    e and will be inserted later on S6aL38;
S6L9: <u>go to</u> S3L3;   Then, for translating a bound pair list, there is
                                    listed in L:
                                    $st[S – 5]$ = address reserved for the pre-value [a] of
                                    a = 1st array of the list mentioned in the
                                    explanations,
                                    $st[S – 4]$ = $\mp$ 1 + address reserved for the pre-value
                                    [c] of c = last array of the list,
                                    $st[S – 3]$ = –1 + number of bound pairs already
                                    translated,
                                    $st[S – 2]$ = value 321 of [,
                                    $st[S – 1]$ = 0.
                                    S6L2;
S6L10: SOh;   for a procedure statement with actual parameters can
                                    be the 1st statement in the compound tail of a block
                                    (cf. S3L2);
S6L11: <u>if</u> g ≠ 0 <u>then</u> <u>go</u> <u>to</u> S6L15;   Then [is preceded by an array identifier;
S6L12: <u>if</u> e = 0 <u>then</u> <u>go</u> <u>to</u> S5L4;   Then there is beginning an expression enclosed
                                    within brackets, which is no subscript.
                                    [is preceded by either a formal parameter or a switch
                                    identifier:;
S6L13: <u>if</u> e <u>or</u> (2↑32 + 2↑23) ≠ 0 <u>then</u>   cf. ar2 in table 1D.
          e : = 2↑26 × (63 – 125);   Then [is not preceded by a formal parameter. Thus   ×
                                    it is preceded by a switch identifier whose declaration
                                    may, of course, occur later in the text;

comment

S6L14: st[S − 1] : = e + 2↑26 × (126 − 63);	That is either the ar1 instruction referring to a formal parameter, or a positive and harmless constant;
go to S6L18;	S6L11;
S6L15: if g > 0 then	
S6L15a:wrong;	Then [is preceded by a number;
S6L16: st[S − 1] : = g;	which is the ar1 instruction listed in I on S6L8 and referring to the 1st factor of the array declaration;

S6L17: e : = U + 2↑31;

Then bit e_1 = 1 as it is in the case that e is the internal equivalent of a formal parameter.
S6L14;

S6L18: S : = S + 2;

    if S + 1 > T then S0g;   as happens in procedure S0c;

    st[S − 1] : = e + 2↑26 ×
             (125 − 63);

    S0c (− mark);   as is indicated in table 4C;

    st[S − 1] : = 0;

S6L19: go to S3L5;

Then, for translating a subscript list, there is listed in L:

st[S − 7] = an ar1 instruction or a positive constant,

st[S − 6] = the array- or switch identifier or the formal parameter, preceding [in the text,

st[S − 5] = an ar2 instruction of 0,

st[S − 4] = minus the value of mark which was present when [was read,

comment
st[S - 3] = - 1 + number of subscripts already
translated,
st[S - 2] = value 321 of [,
st[S - 1] = 0

end S6;

comment

begin	Compound statement S6a.
	After-actions of the opening symbol [.
	Delimiter f read last is either a comma or a colon
	or] . On S1L1 (or S1L18) the value of st[S - 3] as left
	by compound S6, has already been assigned to variable c.
	Progressive:
	In the text, delimiter f is preceded by a trivial
	expression p (a constant or identifier).
	S6L1;
S6aL1: d : = st[S - 4];	Compare S6L9 with S6L19;
S6aL2: **if** d ·≤· 0 **then go to** S6aL43;	Then p is a subscript.
	p is a bound:;
S6aL3: **if** D **or** 2↑29 = 0 **then go to**	Then declaration is **own**.
S6aL27;	Declaration is not **own**:;
S6aL4: S0k;	Thus p is translated.
	Regressive:
	expression p is not trivial and is already
	translated.
	S1L21;
S6aL5: d : = st[S - 4];	cf. S6aL1;
S6aL6: **if** d ≤· 0 **then go to** S6aL53;	Then p is a subscript.
	p is a bound:;
S6a^L7: **if** D **or** 2↑29 = 0 **then**	
S6aL7a:wrong;	Please only constant bounds in an **own** array
	declarations;
S6aL8: **if** c ≠ 0 **then** d : = d + 1;	Thus, in the case of the 1st bound pair, d is
	the address of variable u, otherwise d is the
	address of variable v = [c], as is indicated in
	the explanations;

×

comment

S6aL9: if f $\neq$ 331 then go to S6aL12; Then delimiter f is no colon.

colon:;

S6aL10: SO(d+R+2↑23+2↑26×117); cf. store accu in table 1D.   ×

Thus u : = accu or v : = accu is translated.

entry, S3bL5, S7aL9, S7aL17, S6aL19;

S6aL11: Saccent : = 8191;
    go to S1L27; As long as S' has the value 8191, the tests on S1L7, S5L4 and S6aL44 cannot succeed.

S6aL9;

S6aL12: if c = 0 then q : = q − 1; the latter being the same as q : = d − 1.

Then q is the address to be reserved for the variable H_k, the value of which is the number of array elements;

S6aL13: SO(d+R+2↑23+2↑26×74); cf. − in table 1A.   ×

Thus accu : = accu − u or accu : = accu − v is translated;

S6aL14: SO(q+R+2↑23+2↑26×115); cf. store factor in table 1B;   ×

S6aL15: if c = 0 then e : = 0 else
    e : = c + 2; else e : = d − q may be written instead;

S6aL16: SO(e); Thus the constant 0 or k − i + 2 (i < k, cf. explanation) is subsequent to the store factor instruction;

S6aL17: q : = q − 1; That address is reserved for the variable to be introduced next which is possibly another factor h_{i-1}.

S6aL36, S6aL58;

S6aL18: st[S − 3]: = c : = c + 1; Thus the number of bound pairs or subscripts is counted;

S6aL19: if f = 330 then go to S6aL11; Then f is a comma;

comment

```
            if f ≠ 321 then
S6aL19a:wrong;

S6aL20: D : = D + 2↑32;
S6aL21: S : = S - 2;
S6aL22: if  D  or 2↑29 = 0 then go to
        S6aL37;
S6aL23: SOa;



S6aL24: SO(c+R+2↑23+2↑26×114);
S6aL25: SO(d - c);



S6aL26: go to S5aL5;


S6aL27: if g = 0 then go to S6aL7a;


S6aL28: if g + 2↑25 × 127 < 0 then go
      · to S6aL7a;
S6aL29: if  f ≠ 331 then go to S6aL32;
S6aL30: if c ≠ 0 then v : = e
        else u : = e;
S6aL31: go to S1L28
S6aL32: if c ≠ 0 then e : = e - v
        else e : = e - u;
S6aL33: if e < 0 then
S6aL33a:wrong;
        e : = e + 1;
```

Then a subscript, or a bound of an array declaration, is not followed by the required comma,], or colon; which compensates for S6L3;   ×

for own;   ×
Then is (cf. S6L9):
c = address reserved for variable [a],
d = address reserved for u;
cf. store pre-value in table 1D;   ×
In the object programme, the store pre-value instruction is followed by the constant which is the difference (address of u minus that of [a]);
The brackets are exhausted.
S6aL3;
Then a variable bound occurs within a declaration of own arrays;
Then the bound has not the integer representation;

S6aL29;

Then lower bound is greater than upper bound;

comment

S6aL34: SOm(e);

In the store, the calculated constants must appear
in the same order as have the factor variables of the
arrays being not own. Storing in L through procedure
SOm is a means of reversing the order;

S6aL35: if c = 0 then go to S6aL36;

st[SO + c] := st[SO + c] × e;   which is the next value of H_k;

u : = u × e + v;   which is the next value of u.

S6aL35;

S6aL36: go to S6aL18;   S6aL22, S6aL37;

S6aL37: g : = st[SO]; SO(g);

SO : = SO + 1;

c : = c - 1;

if c ≠ 0 then go to S6aL37;   Thus the constants h_1, ... h_{k-1}, and H_k are listed
in the object programme,
g being = H_k at the end;

S6aL38: st[T+1] : = P+2↑23+2↑26×126-2;   which is the correction announced on S6L8;   ×

S6aL39: SO(u);   Constant u is stored;

S6aL40: SOa;   cf. S6aL23.

Addresses   c   and   d-1   are reserved for the first
and last pre-value constants.

S6aL41;

S6aL41: st[c] : = P - u; P : = P = g;

c : = c + 1;

if c ≠ d then go to S6aL41;   Thus space for own arrays is reserved in object
programme;

S6aL42: if P>SO-2 then SOg;

go to S5aL5;   S6aL2;

S6aL43: if c ≠ 0 then go to S6aL45;   Then the identifier or constant p to be translated
is not the first subscript of the list.
First subscript:;

comment

S6aL44: **if** Saccent + 2 < S **then** SOd;	as happens also on S1L7;
SOk;	Thus 1st subscript is translated;
go to S6aL54;	S6aL43;
S6aL45: P : = P - 1;	Then st[P] = instruction partres, stored at the previous action of this compound S6a on S6aL57;
S6aL46: **if** g ≠ 0 **then go to** S6aL50;	Then g indicates the representation of e, e being a constant subscript
S6aL47: **if** e < 0 **then go to** S6aL52;	Then subscript p is a procedure identifier namely no simple variable and no formal parameter. Simple variable or formal parameter;
S6aL48: e : = e + 2↑26 × (72 − 63);	cf. + in table 1A;
S6aL49: **go to** S6aL51;	S6aL46;
S6aL50: SO(g + 2↑26 × 72);	cf. S6aL48.
	S6aL49;
S6aL51: SO(e);	
go to S6aL54;	not: to 53.
	S6aL47;
S6aL52: P : = P + 1;	Thus instruction partres remains in the object programme;
SOp;	Thus a contra-declaration of function name p is made. The test on S6aL53 succeeds.
	S6aL6;
S6aL53: **if** c ≠ 0 **then**	cf. + in table 1A. This instruction
SO(2↑23 × 3 + 2↑26 × 72);	accu : = accu + (partial result) corresponds to the instruction partres, added to the object programme during the previous action of this compound S6a on S6aL57.
	S6aL44, S6aL51;
S6aL54: **if** f=321 **then go to** S6aL59;	cf.] in table 1B. Then the last subscript has been translated.

S6aL55: d : = st[S - 7];

    if d > 0 then

S6aL55a:wrong;

S6aL56: if d - 2↑23 - 2↑26×126 < 0

    then SO(d) else c : = d - c;

    SO(c);

S6aL57: SO(partres);

S6aL58: go to S6aL18;

S6aL59: mark : = - d;

S6aL60: Saccent : = S : = S - 6;

S6aL61: SO(st[S + 1]);

comment

Subscript list is not yet exhausted:;

That is either an ar1 instruction referring to an array identifier or formal parameter, or positive;

Then 2 or more subscripts are attached to an identifier which is no array identifier and no formal parameter;

×

Thus the ar1 instruction just stored either refers itself to the factor h_i (i < k) required, or it refers to the key of a formal parameter which refers to the factor h_{k-1} of the array represented by the parameter, while ar1 is followed, in the object programme, by the constant k - i - 1;

cf. table 1E

This instruction partres corresponds to the instruction

accu : = accu + (partial result)

which will be added to the object programme during the next action of this compound (cf. S6aL53).

However, often both instructions are dispensable; S6aL54;

Thus the value of mark, listed in L on S6L19, is restored;

Compare this with S5aL5;

Then st[P - 1]is the ar2 instruction or 0, mentioned on S6L19.

comment
st[S] is the identifier to which the subscripts
are attached in the text;

go to S1L28
end S6a;

```
          begin

S7L1:  SOh;
S7L2:  st[S - 1] : = O;


       SOc(O);
       st[S - 1] : = - P;
       f : = 324;
       go to S3L4;




       end S7;
```

comment
Compound statement S7.
Pre-action of the opening symbol for
cf. S3L2;
Thus an identifier or constant preceding opening
symbol for is skipped;

Then, for translating a for statement, there is
listed in L:
$st[S - 5] = O$,
$st[S - 4] = O$ to be replaced by the internal
equivalent of the controlled variable v on
S9L4,
$st[S - 3]$ = minus address P' where the object
programme of the for list element to be read next
is to begin,
$st[S - 2]$ = value 324 of the opening symbol for,
$st[S - 1] = O$

comment

begin	Compound statement S7a.
	After-actions of the opening symbol **for** .
	Delimiter f read last may be a separation symbol
	step, **until**, **while**, comma, or **do**, or the closing
	symbol of the **for** statement.
	Progressive:
	Expression p preceding delimiter f in the text
	is trivial (an identifier or constant).
S7aL1: SOk;	S1L6;
¦	for translation of p.
	Regressive:
	Expression p is not trivial.
	S1L21;
S7aL2: S : = S − 2;	
SOa;	Thus internal equivalent of controlled variable is
	assigned to variable d
	(cf. st [S − 4] in compound S7);
if d ≤ O **then**	
S7aL2a:wrong; :	Then either controlled variable is no simple variable
	and no formal parameter,
	or even : = has been omitted;
S7aL3: **if** c < O **then** **go** **to** S7aL18;	Then after-action of **for** with **do** has already taken
	place so that f is the closing symbol (compare
	st[S − 5] in S7aL16 with that in S7aL15 or S7L2);
S7aL4: S : = S + 2;	Thus previous value of S is restored;
if f ≠ 324 **then** **go** **to** S7aL10;	Then f is either comma or **do** (cf. 324 in table 1B);
S7aL5: **if** e < O **then** **go** **to** S7aL7;	Then delimiter f is either **step** or **while**.
	Delimiter f = **until**:;
S7aL6: st[e] : = d+2↑26 ×(123−63);	cf. for1 in table 1D;

×

comment

```
            SO(for3);                              cf. table 1E;                                    +

            c : = 0;

            go to S7aL8;                            S7aL5;

S7aL7:  c : = P;

            SO (-e);                                Thus address where object programme of while- or
                                                    step element begins, is retained in object programme
                                                    itself on address   c;
            SO(d + 2↑26 × (117 - 63));               cf. store accu in table 1D.                      ×
                                                    S7aL6, S7aL15;

S7aL8:  st[S - 3] : = c;

S7aL9:  go to S6aL11;                               st[S - 2] = for remains in L,   f  disappears.
                                                    S7aL4;

S7aL10: if e > 0 then go to S7aL12;                 Then value of  e  has been listed in  L  during
                                                    previous action of this compound on S7aL7-8.
                                                    It is a while element whose object programme is to be
                                                    completed;

S7aL11: if e ≠ 0 then
            begin
            SO(d + 2↑26 × (117 - 63));                                                                ×

            b : = for2;                             cf. table 1E                                      +

            end
            else b : = d + 2↑26 × (74-63);          cf. in table 1A. It is a step element             ×

            SO(b);

            go to S7aL14;                           Object programme of step- or expression element is
                                                    ready.
                                                    S7aL10;

S7aL12: b : = st [e];                               That is the address   c   of S7aL7. Element has the
                                                    form:  F while Q.
                                                    S7aL13;
```

element is an expression

comment

```
S7aL13: st[e] : = st [e - 1]:
        e : = e - 1;
        if e ≠ b then go to S7aL13;           Thus object programme of expression  F  is shifted
                                              over one place;
        st [b] : = for2;                      cf. table 1E.
                                              Thus instruction for2 precedes object programme of  F.
                                              S7aL11;

S7aL14: if f = 323 then go to S7aL16;         cf. do in table 1B;
        if f ≠ 330 then
S7aL14a:wrong;                                Then for statement contains wrong delimiter;
S7aL15: st[S - 5] : = P;                      That is the address where to insert a  for instruction
                                              later (cf. S7aL16);
        SO(c);                                On address st[S - 5] the previous address where to
                                              insert  a  for instruction, is stored;

        c : = - P;
        go to S7aL8;                          Thus  c  is the complemented address where the object
                                              programme of the next for list element is to begin.
                                              S7aL14;

S7aL16: e : = P+2+2↑23+2↑26×124;              cf. for  in table  1D;                                ×
        SO(e);                                Thus last  for  instruction is stored;
        st[S - 5]: = - P;                     That is the complemented address where to store a
                                              pass instruction later (cf. S7aL18);
        SO(0);                                For the time being,  0  is inserted.
                                              S7aL17;
S7aL17: if c = 0 then go to S6aL11;           Then all for instructions have been inserted;
        b : = c;   c : = st [c];
        st[b] : = e;                          Thus next for instruction is inserted on address  b;
        go to S7aL17;                         S7aL3;
```

comment

S7aL18: S0(for0);

cf. table 1E.

Thus object programme of <u>for</u> statement is concluded
by adding the word for0;

st[-c]: = P + 2↑23 + 2↑26 × 121;Thus a bridging pass instruction (cf. table 1D) is
inserted;

<u>go</u> <u>to</u> S1L17;

There variable S is again (cf. S7aL2) decreased
with 2, and the delimiter preceding <u>for</u> in L, is
going to after-act with delimiter f

<u>end</u> S7a

+

```
                                    comment
      begin                  Compound statement S8.
                             Pre-action of the opening symbol  go to;
S8L1 : SOh;                  cf. S3L2;
       SOc(325);             Then st [ S - 2] is the value 325 of  go to
                             (cf. table 1B)
                             S8bL6, S9L3;
S8L2: mark : = 2;            cf. table 4C;
      Saccent : = 8191;      as happens also on S6aL11;
      go to S1L28
      end S8;
```

```
                                              comment
        begin                         Compound statement S8a.
                                      After-actions of the opening symbol  go to .
                                      Regressive (cf. S8bL1):
                                      S1L21;

S8aL1: if mark = 0 then go to S8aL3;
       P : = P - 1;                   Progressive (cf. S8bL2):
                                      S1L6;
S8aL2: SC1;                           S2aL32, S8aL1, S8bL11;
S8aL3: mark : = 0;
       go to S1L17;                   Delimiter st[S - 4] is going to after-act with
                                      delimiter  f
       end S8a;
```

comment

Compound statement S8b.

After-action of the opening symbol <u>switch</u> .

f = delimiter read last is either the separation symbol comma or the closing symbol semicolon of the switch declaration.

Regressive:

The designational expression p preceding delimiter f in the text, is not a single label.

S1L21;

<u>begin</u>

Then p contains more than a switch designator and has already been translated and contra-declared.

p is a switch designator i[E]. Translation of E is ready. $st[P - 1] = 0$ or an ar2 instruction (cf. S6aL61) which is to be replaced by a jump instruction later.

Identifier i is available as st[S] and g = 0;

Progressive:

p is a label.

S1L6;

S8bL1: <u>if</u> mark = 0 <u>then</u> <u>go</u> <u>to</u> S8bL3;

Thus there is made a contra-declaration of the label or switch identifier, referring to address $P - 1$ where a jump instruction will be inserted later (cf. S3bL39).

S3bL1;

P : = P - 1;

Now d is the address where the designational expression preceding delimiter f in the text, has it object programme beginning (cf. S8bL6 and S4L39);

S8bL2: S01;

S8bL3: S : = S - 2; S0a;

S8bL4: c ; = d + 2↑23 + 2↑26 × 121;

which is the pass instruction referring to d;   ×

comment

S8bL5: if f ≠ 330 then go to S8bL7;

Then f is a semicolon.

f is a comma:;

S8bL6: S : = S + 2;

Thus previous value of S is restored;

st[S - 4] : = P;

SOm(c);

For the time being, pass instruction is listed in L;

go to S8L2;

for reading next switch list element.

S8bL5;

S8bL7: d : = 0;

for counting the entries of the switch list i.e.

pass instructions preliminarily listed in L.

S8bL8;

S8bL8: d : = d + 1;

SO(c); SO : = SO + 1;

c : = st[SO - 1];

if c ≠ 0 then go to S8bL8;

Then the next pass instruction is stored in the
object programme.

The list of pass instructions has been stored in the
object programme:;

S8bL9: q : = q + 1;

cf. S4L38;

S8bL10: st[e - 1] : = P+R+2↑23×127;

Thus internal equivalent (table 2) of switch   ×
identifier is listed in I;

S8bL11: SO(q + R + 2↑23 - 1 + 2↑26×112);cf. switch in table 1D;

SO(d);

Thus, in object programme, the switch instruction
is followed by the number of entries;

go to S8aL3;

end S8b;

	comment
	Compound statement S8d.
begin	After-actions of the opening symbol **procedure**.
	Progressive:
	S1L6;
S8dL0: wrong;	Procedure body is a dummy or a single identifier or constant.
	Regressive:
	S1L21;
S8dL1: **if** D > 0 **then** **go** **to** S8dL8;	Then body must still be read.
	Body has been translated:;
if f $\neq$ 332 **then**	
S8dL1a: wrong;	Then procedure body is not followed by a semi-colon;
S8dL2: S : = S − 2; S0a;	Then c = q', d = P' + 2 and e = T' are the values mentioned on S4L31;
S8dL3: R : = R − 2↑13;	for compensating the action of S4L26;
S8dL4: **if** (st[e − 1] **or** 2↑24) = 0 **then**	cf. table 1E.
S0(extract procedure);	Thus instruction extract procedure only appears in the object programme of a type procedure;
S8dL5: S0(Y);	table 1E.
	Thus, in object programme of any procedure, instruction Y is the last word;
S8dL6: **if** st[d − 1] < 0 **then**	Thus, in object programme of a procedure having no
st[d − 2] : = X1;	parameters, instruction X1 of table 1E is 1st word;
S8dL7: e : = e − 2; **go** **to** S3bL12;	S8dL1;
S8dL8: **if** f = 332 **then** **go** **to** S8dL9;	for semi-colon;
if (D **or** 2↑23) = 0 **then** **go** **to**	
S5L2;	for reading the next formal parameter;
go **to** S1L28;	for reading parameter to be next specified.
	S8dL8;

comment

S8dL9: T1 : = T; D : = 2↑23 × 543;   Table 2;   ×

     go to S6aL11

     end S8d;

```
                                              comment
      begin                         Compound statement S9.
                                    Pre-action of the opening symbol : =;

S9L1: if g ≠ 0 then                 Then : = is preceded by a constant;
S9L1a:wrong;                        as happens also on S3L2. The procedure performed the
S9L2: SOh;                          following assignments:
                                    d : = st[S - 2],   e : =   st [S - 1];
S9L3: if d = 328 then go to S8L2;   Then the delimiter listed last in L is switch
                                    (cf. S4L39);
S9L4: if d ≠ 324 then go to S9L5;   Otherwise the delimiter listed last in L is   for:;
      st[S - 4] : = e;              as was announced in compound S7;
      go to S1L28;                  S9L4;
S9L5: if e < 0 then go to S9L11;    Then : = is preceded in the text by the identifier
                                    of a type procedure;
      if e ≠ 0 then go to S9L7;     Then either a simple variable or a formal parameter
                                    is precedent to :=
                                    A subscripted variable is precedent to : =   ;
      if (st[P - 1] or 2↑26 × 127) ≠
      2↑26 × 125 then                                                                  ×
S9L5a:wrong;                        Then, within an assignment statement, : = is not
                                    preceded by a (simple or subscripted) variable or
                                    formal parameter or identifier of a type procedure;

S9L6: e : = - 1;
      go to S9L9;                   S9L5;
S9L7: e : = e + 2↑26 × (117 - 63);  cf. store accu  in table 1D;                       ×
S9L8: if e - 2↑23 - 2↑26 × 117 > 0
      then go to S9L10;             Then a simple variable is precedent to : =         ×
                                    Formal parameter;
```

comment

`e := e + 2↑26;`	cf. store address in table 1D.
	S9L6;
`S9L9: S0(e);`	Then st $[P - 1]$ is either a store address instruction or the constant -1;
`e := extract address;`	cf. table 1E. +
	S9L8, S9L11;
`S9L10: st[S - 1] := e;`	Thus either a store accu-or store procedure- or extract address instruction is listed in L;
`f := 323;`	cf. := in table 1B;
`go to S3L4;`	S9L5;
`S9L11: f := e + 2↑32; S0f;`	Thus procedure identifier is again looked up; ×
`e := (d or 2↑26-2↑13)+2↑13`	cf. store procedure and Q0 in tables 1D and
`+ 2↑26×113+3+Q0;`	1E; + ×
`if (d or 2↑24 + 2↑29) = 0`	Then identifier signifies a type procedure; ×
`then go to S9L10;`	
`go to S9L5a`	
`end S9;`	

```
                              comment
begin                         Compound statement S9a.
                              After-actions of the opening symbol  : =
                              On S1L1 or S1L18, the value of st [S - 3] has been
                              assigned to variable  c.
                              Progressive:
                              The expression preceding delimiter  f  in the text
                              is a single identifier or constant  p.
                              S1L6;
S9aL1: SOk;                   Thus  p  is translated.
                              Regressive:
                              p  has already been translated.
                              S1L21;
S9aL2: SO(c);                 Thus st[P - 1] is the instruction listed in  L  on
                              S9L10;
    go to S1L17;             cf. S8aL3;
    end S9a;


input:
    begin
      ⋮
    end
input1:
    begin

      ⋮
    end

    end  translator
```